


PRESSURE SWITCH

Presostatos
Druckschalter
Pressostats



Adjustable monocontact pressure switch - normally open

Presostatos monocontacto regulables - Normalmente abierto
Regel-Druckschalter - normal offen
Pressostats 1 contact réglables normalement ouverte




Referencia Part n°	ROSCA THREAD	PROTECCIÓN (IP) PROTECTION (IP)	CAMPO REG. (bar) REG. RATE (bar)	EJECUCIÓN EXECUTION	€
PTNA300550	1/4" BSP	IP54	5 - 50 bar	Piston	
PTNA30010100	1/4" BSP	IP54	10 - 100 bar	Piston	
PTNA30020200	1/4" BSP	IP54	20 - 200 bar	Piston	



Adjustable monocontact pressure switch - normally closed

Presostatos monocontacto regulables - Normalmente cerrado
Regel-Druckschalter - normal geschlossen
Pressostats 1 contact réglables normalement fermée




Referencia Part n°	ROSCA THREAD	PROTECCIÓN (IP) PROTECTION (IP)	CAMPO REG. (bar) REG. RATE (bar)	EJECUCIÓN EXECUTION	€
PTNC300550	1/4" BSP	IP54	5 - 50 bar	Piston	
PTNC30010100	1/4" BSP	IP54	10 - 100 bar	Piston	
PTNC30020200	1/4" BSP	IP54	20 - 200 bar	Piston	



Adjustable pressure switch

Presostatos conmutados regulables
Einstellbarer Druckschalter
Pressostats commutés réglables




Referencia Part n°	ROSCA THREAD	PRESIÓN MAX. (bar) MAX. PRESSURE (bar)	PROTECCIÓN (IP) PROTECTION (IP)	CAMPO REG. (bar) REG. RATE (bar)	EJECUCIÓN EXECUTION	€
PTC25110	1/4" BSP	25	IP65	1 - 10 bar	Membrane	
PTC300550	1/4" BSP	300	IP65	5 - 50 bar	Piston	
PTC30010100	1/4" BSP	300	IP65	10 - 100 bar	Piston	
PTC30030250	1/4" BSP	300	IP65	30 - 250 bar	Piston	



Piston pressure switch adjustable by knob control

Presostatos conmutados regulables con pomo
Einstellbarer Kolbendruckschalter
Pressostats à piston commutés réglables par molette



Referencia Part n°	ROSCA THREAD	PRESIÓN MAX. (bar) MAX. PRESSURE (bar)	PROTECCIÓN (IP) PROTECTION (IP)	CAMPO REG. (bar) REG. RATE (bar)	€
PTCV3005100	1/4" BSP	300	IP65	5 - 100 bar	
PTCV40020200	1/4" BSP	400	IP65	20 - 200 bar	
PTCV50030300	1/4" BSP	500	IP65	30 - 300 bar	
PTCV60040400	1/4" BSP	600	IP65	40 - 400 bar	

PRESSURE AND TEMPERATURE TRANSDUCERS

Transductores de presión y temperatura
 Druck- und Temperaturmessumformer
 Transducteurs de pression et de température



1/4" BSP Pressure transducers

Transductores de presión 1/4" BSP
 1/4" BSP Druckwandler
 Transducteurs de pression 1/4" BSP

Referencia Part n°	ROSCA THREAD	ESCALA (bar) SCALE (bar)	VOLTAJE (V) VOLTAGE (V)	€
TP100MLA14	1/4" BSP	0 a 600	input: 10-32 VDC	



1/4" BSP temperature transducers

Transductores de temperatura 1/4" BSP
 1/4" BSP Temperaturwandler
 Transducteur température 1/4" BSP

Referencia Part n°	ROSCA THREAD	VOLTAJE (V) VOLTAGE (V)	Rango de temperatura (°C) Temperature range (°C)	€
TT100MLA14	1/4" BSP	input: 10-32 VDC	0 a +120	



Digital back thermometer 1/2" BSP

Termómetro digital dorsal 1/2" BSP
 Digitales Thermometer 1/2" BSP Ausgang hinten
 Thermomètre arrière numérique 1/2" BSP

Referencia Part n°	ROSCA THREAD	Rango de temperatura (°C) Temperature range (°C)	€
TD100DOR12	1/2" BSP	-50 a +400	



1/2" BSP Angled Digital Thermometer

Termómetro digital angular 1/2" BSP
 1/2" BSP abgewinkeltes digitales Thermometer
 Thermomètre numérique angulaire 1/2" BSP

Referencia Part n°	ROSCA THREAD	Rango de temperatura (°C) Temperature range (°C)	€
TD100ANG12	1/2" BSP	-50 a +400	



1/2" BSP Vertical Digital Thermometer

Termómetro digital vertical 1/2" BSP
 1/2" BSP Vertikales Digitales Thermometer
 Thermomètre numérique vertical 1/2" BSP

Referencia Part n°	ROSCA THREAD	Rango de temperatura (°C) Temperature range (°C)	€
TD100VERT12	1/2" BSP	-50 a +400	

PRESSURE AND TEMPERATURE TRANSDUCERS

Transductores de presión y temperatura
 Druck- und Temperaturmessumformer
 Transducteurs de pression et de température

PUMPS

CONTROL COMPONENTS

MOTION DEVICE

ACCESSORIES

MINI POWER PACKS

HYDRAULIC COMPONENTS
 GREENLINE



Capillary digital thermometer rear flange 1/2" BSP

Termómetro digital capilar brida trasera 1/2" BSP
 Digitales Kapillarthermometer Hinterer Flansch 1/2" BSP
 Thermomètre numérique capillaire bride arrière 1/2" BSP

Referencia Part n°	ROSCA THREAD	Rango de temperatura (°C) Temperature range (°C)	€
TD100CAPT12	1/2" BSP	-50 a +400	



Capillary digital thermometer front flange 1/2" BSP

Termómetro digital capilar brida frontal 1/2" BSP
 Digitales Kapillarthermometer Frontflansch 1/2" BSP
 Thermomètre numérique capillaire bride frontale 1/2" BSP

Referencia Part n°	ROSCA THREAD	Rango de temperatura (°C) Temperature range (°C)	€
TD100CAPF12	1/2" BSP	-50 a +400	



Capillary electric thermometer 1/2" BSP

Termómetro eléctrico capilar 1/2" BSP
 Elektrisches Kapillarthermometer 1/2" BSP
 Thermomètre électrique capillaire 1/2" BSP

Referencia Part n°	ROSCA THREAD	Rango de temperatura (°C) Temperature range (°C)	€
TE100CAP12	1/2" BSP	0 +120	

Amplia variedad según su aplicación final

MANÓMETROS PRESSURE GAUGE

Available in wide variety of ranges



TrAde®

